

ON THE RECURRENCE FORMULA OF THE EULER ZETA FUNCTIONS

JOONHYUNG KIM

ABSTRACT. In this paper, we find a new recurrence formula of the Euler zeta functions.

1. INTRODUCTION

The Euler zeta function is defined as $\zeta_E(s) = \sum_{n=1}^{\infty} \frac{(-1)^{n-1}}{n^s}$ for $s \in \mathbb{C}$.

In [1], Lee-Ryoo found the following recurrence formula of $\zeta_E(2s)$ for $s \in \mathbb{N}$ using Fourier series.

Theorem 1.1. (*Theorem 4 of [1]*) For $s \geq 2 (\in \mathbb{N})$ and $\zeta_E(2) = \frac{\pi^2}{12}$,

$$\begin{aligned} \zeta_E(2s) = & \frac{(-1)^s (2\pi)^{2s}}{{}_sP_{2s-1}} \left\{ \frac{1}{2^{2s+1}} \frac{2^{2s+1} - 12s^2 + 3}{(2s-1)(2s+3)} \right. \\ & \left. - \sum_{k=1}^{s-1} (-1)^k \frac{1}{(2\pi)^{2k}} \zeta_E(2k) ({}_sP_{2k-1} - {}_{2s-2}P_{2k-1}) \right\}. \end{aligned}$$

The proof is very elementary. They first considered a function $f(x) = x^{2m}$ for $-2 < x < 2$ and found Fourier coefficients. Then $f(x)$ can be written as

$$f(x) = \frac{2^{2m}}{2m+1} + \sum_{n=1}^{\infty} a_n \cos \frac{n\pi x}{2},$$

$$\text{where } a_n = \sum_{k=1}^m (-1)^{k+1} {}_{2m}P_{2k-1} 2^{2m-2k+1} \frac{2^{2k}}{n^{2k} \pi^{2k}} \cos n\pi.$$

$$\text{By substituting } x = 1, \text{ they got } \sum_{k=1}^s (-1)^k {}_{2s}P_{2k-1} \frac{1}{2^{2k} \pi^{2k}} \zeta_E(2k) = \frac{2s+1-2^{2s}}{(2s+1)(2^{2s+1})}.$$

In the case of $m = 1$, one easily gets $\zeta_E(2) = \frac{\pi^2}{12}$. Using above equation, it is easy to get the formula in the theorem. See [1] for more details.

¹2010 Mathematics Subject Classification. 42B05, 11B68, 11S40, 11S80.

²Key words and phrases. Euler zeta function.

³This work was supported by 2015 Hannam University Research Fund.

The goal of this article is to get more refined version of the recurrence formula of the Euler zeta functions.

2. THE RECURRENCE FORMULA

The following is the main result.

Theorem 2.1. *For $s \geq 2 (\in \mathbb{N})$ and $\zeta_E(2) = \frac{\pi^2}{12}$,*

$$\zeta_E(2s) = \frac{(-1)^s (\pi)^{2s}}{2s P_{2s-1}} \left\{ \frac{1}{(2s-1)(2s+1)} - \sum_{k=1}^{s-1} (-1)^k \frac{1}{\pi^{2k}} \zeta_E(2k) ({}_{2s}P_{2k-1} - {}_{2s-2}P_{2k-1}) \right\}.$$

Proof. We'll use the same function $f(x) = x^{2m}$ for $-2 < x < 2$. As in the proof of [1],

$$f(x) = \frac{2^{2m}}{2m+1} + \sum_{n=1}^{\infty} a_n \cos \frac{n\pi x}{2},$$

$$\text{where } a_n = \sum_{k=1}^m (-1)^{k+1} {}_{2m}P_{2k-1} 2^{2m-2k+1} \frac{2^{2k}}{n^{2k} \pi^{2k}} \cos n\pi.$$

Now we substitute $x = 0$. Then,

$$\begin{aligned} 0 &= \frac{2^{2m}}{2m+1} + \sum_{n=1}^{\infty} \sum_{k=1}^m (-1)^{k+1} ({}_{2m}P_{2k-1}) 2^{2m-2k+1} \frac{2^{2k}}{n^{2k} \pi^{2k}} \cos n\pi \\ &= \frac{2^{2m}}{2m+1} + \sum_{n=1}^{\infty} \sum_{k=1}^m (-1)^{k+1} ({}_{2m}P_{2k-1}) 2^{2m+1} \frac{(-1)^n}{n^{2k} \pi^{2k}} \\ &= \frac{2^{2m}}{2m+1} + \sum_{k=1}^m (-1)^k ({}_{2m}P_{2k-1}) 2^{2m+1} \frac{1}{\pi^{2k}} \zeta_E(2k). \end{aligned}$$

Therefore $\sum_{k=1}^s (-1)^k {}_{2s}P_{2k-1} \frac{1}{\pi^{2k}} \zeta_E(2k) = -\frac{1}{2(2s+1)}$ and hence we also

get $\sum_{k=1}^{s-1} (-1)^k {}_{2s-2}P_{2k-1} \frac{1}{\pi^{2k}} \zeta_E(2k) = -\frac{1}{2(2s-1)}$. By subtracting the second equation from the first equation, we get the result. $\square$

Corollary 2.2. *For $s \geq 2 (\in \mathbb{N})$ and $\zeta_E(2) = \frac{\pi^2}{12}$,*

$$\zeta_E(2s) = \frac{(-1)^s \pi^{2s}}{2s-1} \left\{ \frac{1}{(2s+1)!} - \frac{1}{s} \sum_{k=1}^{s-1} (-1)^k \frac{1}{\pi^{2k}} \zeta_E(2k) \frac{(2k-1)(2s-k)}{(2s-2k+1)!} \right\}.$$

Proof. Since ${}_{2s}P_{2s-1} = (2s)!$ and ${}_{2s}P_{2k-1} - {}_{2s-2}P_{2k-1} = \frac{2(2s-2)!(2k-1)(2s-k)}{(2s-2k+1)!}$, the corollary immediately follows. $\square$

Remark 2.3. One can get many such recurrence formulas by considering different functions. Even the same function, one can also get many formulas by substituting different values.

REFERENCES

- [1] H. Lee and C. Ryoo, A note of recurrence formula for values of the Euler zeta functions $\zeta_E(2n)$ at positive integers, Bull. Korean Math. Soc. 51 (2014), No. 5, 1425-1432.

JOONHYUNG KIM, DEPARTMENT OF MATHEMATICS EDUCATION, HANNAM UNIVERSITY, 70 HANNAM-RO, DAEDEOK-GU, DAEJEON 306-791, REPUBLIC OF KOREA

E-mail address: calvary@hnu.kr